Nuclear Engineering and Design 105 (1988) 399–400
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 105

Aidun, J.B., see Seaman 105 (1987) 35
Amar, E. and A. Pineau, Application of a local approach to ductile–brittle transition in a low-alloyed steel 105 (1987) 89
Anand, N.K., see Chellaiah 105 (1988) 259

Balladon, P., see Devaux 105 (1987) 131
Batisse, R., M. Bethmont, G. Devesa and G. Rousselier, Ductile fracture of a 508 Cl 3 steel in relation with inclusion content: The benefit of the local approach of fracture and continuum damage mechanics 105 (1987) 113
Bergmann, A., see Laura 105 (1988) 393
Bethmont, M., see Batisse 105 (1987) 113
Billardon, R. and L. Moret-Bailly, Fully coupled strain and damage finite element analysis of ductile fracture 105 (1987) 43
Bolander, M.A., see Fletcher 105 (1988) 157
Bradley, D.R., see Reynolds 105 (1988) 199
Brown, D., see Griffith 105 (1988) 223
Bui, H.D. and K. Dang Van, Some recently-developed analytical aspects of fracture mechanics 105 (1987) 3
Bui, H.D., K. Dang Van and E. de Langre, A simplified analysis of creep crack growth using local approach 105 (1987) 147

Chaboche, J.L., Continuum damage mechanics: Present state and future trends 105 (1987) 19
Chambers, R., see Fletcher 105 (1988) 157
Chellaiah, S., R. Viskanta, P. Ranganathan and N.K. Anand, Analysis of core and core barrel heat-up under conditions simulating severe reactor accidents 105 (1988) 259
Cooper, T., see Seaman 105 (1987) 35
Cortinez, V.H., see Laura 105 (1988) 393
Curran, D.R., see Seaman 105 (1987) 35

Dahl, W., see Halim 105 (1987) 59
Dallman, R.J., see Fletcher 105 (1988) 157
Dang Van, K., see Bui 105 (1987) 3
Dang Van, K., see Bui 105 (1987) 147
David, J., see Wazzan 105 (1988) 285
De Langre, E., see Bui 105 (1987) 147
Devaux, J.C., see Saillard 105 (1987) 83
Devaux, J.C., G. Mottet, P. Balladon and A. Pellissier-Tanon, Calibration of the parameters of a ductile fracture damage model on an austenitic-ferritic duplex welded joint 105 (1987) 131
Devesa, G., see Batisse 105 (1987) 113
Dormagen, D., see Halim 105 (1987) 59
Dünnewald-Arfmann, H., see Halim 105 (1987) 59

Ezure, H., see Hanada 105 (1988) 173

Fletcher, C.D., R., Chambers, M.A. Bolander and R.J. Dallman, Simulation of the Chernobyl accident 105 (1988) 157
Fletcher, D.F., The particle size distribution of solidified melt debris from molten fuel–coolant interaction experiments 105 (1988) 313
Fontaine, A., E. Maas and J. Tulou, Prevision of the cleavage fracture properties using a local approach: Application to the welded joint of a structural C–Mn steel 105 (1987) 77
Fromal, A., see Wazzan 105 (1988) 285

Geçkinli, M., see Tapucu 105 (1988) 295
Girard, R., see Tapucu 105 (1988) 295
Grand, D., see Vidil 105 (1988) 321
Griffith, P., J.A. Mohamad, and D. Brown, Dryout front modeling for rod bundles 105 (1988) 223

Halim, A., D. Dormagen, H. Dünnewald-Arfmann, M. Twickler, R. Twickler and W. Dahl, Application of micromechanical models for predicting fracture toughness of sulphide controlled Fe 510 steels 105 (1987) 59
Hanada, K., T. Iwatate, Y. Sawada and H. Ezure, Soil–structure interaction of "JPDR" based on earthquake observations and forced vibration tests 105 (1988) 173
Hussein, E.M.A., Modelling and design of a neutron scatterometer for void-fraction measurement 105 (1988) 333

Iwatate, T., see Hanada 105 (1988) 173

James, L.A., The fatigue-crack propagation behavior of ASTM A533-B steel tested in vacuo at LWR operating temperatures 105 (1988) 243

Kamp, C.L., see Wittmann 105 (1988) 185
Kastner, W. and R. Rippel, Jet impingement forces on structures – Experiments and empirical calculations methods 105 (1988) 269
Ku, J.Y., see Reynolds 105 (1988) 199

Laura, P.A.A., A. Bergmann and V.H.

Cortinez, Technical Note: Steady state temperature distribution in a circular corrugated domain with heat generation in the inner core 105 (1988) 393
Leroux, F., see Vidil 105 (1988) 321
Leung, L.K.H., see Salcudean 105 (1988) 349
Lim, J.C. and J. Weisman, A phenomenologically based prediction of rod-bundle dryout 105 (1988) 363

Maas, E., see Fontaine 105 (1987) 77
Majumdar, B.S., see Rosenfield 105 (1987) 51
Masson, J.C., Use of local approach for predicting fatigue cracks in sleeves subjected to repeated thermal shocks 105 (1987) 139
Mohamad, J.A., see Griffith 105 (1988) 223
Mohanty, A.K., see Viskanta 105 (1988) 231
Moret-Bailly, L., see Billardon 105 (1987) 43
Mottet, G., see Devaux 105 (1987) 131
Mudry, F., A local approach to cleavage fracture 105 (1987) 65

Okamoto, Y., see Otsuka 105 (1987) 121
Otsuka, A., K. Togho and Y. Okamoto, Relationship between ductile crack initiation and void volume fraction 105 (1987) 121

Parks, D.M., Mechanics and mechanisms of creep deformation and damage 105 (1987) 11
Pellissier-Tanon, A., see Saillard 105 (1987) 83
Pellissier-Tanon, A., see Devaux 105 (1987) 131
Pineau, A., see Rousselier 105 (1987) 1
Pineau, A., see Amar 105 (1987) 89
Pitner, P., see Wazzan 105 (1988) 285
Procaccia, H., see Wazzan 105 (1988) 285

Ranganathan, P., see Chellaiah 105 (1988) 259
Reynolds, A.B., D.R. Bradley, J.Y. Ku and R.L. Webb, The UVABUBL program and its application to the FAST underwater tests 105 (1988) 199
Rippel, R., see Kastner 105 (1988) 269
Roelfstra, P.E., see Wittmann 105 (1988) 185
Rosenfield, A.R. and B.S. Majumdar, Micromechanisms and toughness for cleavage fracture of steel 105 (1987) 51
Rousselier, G. and A. Pineau, Preface to the Topical Issue on the International Seminar on Local Approach of Fracture 105 (1987) 1
Rousselier, G., Ductile fracture models and their potential in local approach of fracture 105 (1987) 97
Rousselier, G., see Batisse 105 (1987) 113

Saillard, P., J.C. Devaux and A. Pellissier-Tanon, Numerical prediction of the fracture of a thick pressurized shell subjected to a liquid nitrogen shock 105 (1987) 83
Salcudean, M.E. and L.K.H. Leung, Two-phase pressure drop through obstructions 105 (1988) 349
Sawada, Y., see Hanada 105 (1988) 173
Seaman, L., D.R. Curran, J.B. Aldun and T. Cooper, A microstatistical model for ductile fracture with rate effects 105 (1987) 35

Tapucu, A., M. Geçkinli, N. Troche and R. Girard, Experimental investigation of mass exchanges between two laterally interconnected two-phase flows 105 (1988) 295
Theofanous, T.G., The cooldown aspects of the TMI-2 accident 105 (1988) 373
Togho, K., see Otsuka 105 (1987) 121
Troche, N., Tapucu 105 (1988) 295
Tulou, J., see Fontaine 105 (1987) 77
Twickler, M., see Halim 105 (1987) 59
Twickler, R., see Halim 105 (1987) 59

Vidil, R., D. Grand and F. Leroux, Interaction of recirculation and stable stratification in a rectangular cavity filled with sodium 105 (1988) 321
Viskanta, R. and A.K. Mohanty, Heatup of a partially uncovered PWR fuel rod in the presence of cladding oxidation and steam dissociation 105 (1988) 231
Viskanta, R., see Chellaiah 105 (1988) 259

Wazzan, A.R., H. Procaccia, J. David, A. Fromal and P. Pitner, Thermal-hydraulic characteristics of pressurized water reactors during commercial operation: VII. Thermal hydraulics of the PWR Paluel 1 steam generator during commercial operation 105 (1988) 285
Webb, R.L., see Reynolds 105 (1988) 199
Weisman, J., see Lim 105 (1988) 363
Wittmann, F.H., P.E. Roelfstra and C.L. Kamp, Drying of concrete: An application of the 3L-approach 105 (1988) 185

Nuclear Engineering and Design 105 (1988) 401–402
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 105

Thermal and fluid design

Simulation of the Chernobyl accident, C.D. Fletcher, R. Chambers, M.A. Bolander and R.J. Dallman 105 (1988) 157
The UVABUBL program and its application to the FAST underwater tests, A.B. Reynolds, D.R. Bradley, J.Y. Ku and R.L. Webb 105 (1988) 199
Dryout front modeling for rod bundles, P. Griffith, J.A. Mohamad and D. Brown 105 (1988) 223
Heatup of a partially uncovered PWR fuel rod in the presence of cladding oxidation and steam dissociation, R. Viskanta and A.K. Mohanty 105 (1988) 231
Analysis of core and core barrel heat-up under conditions simulating severe reactor accidents, S. Chellaiah, R. Viskanta, P. Ranganathan and N.K. Anand 105 (1988) 259
Thermal-hydraulic characteristics of pressurized water reactors during commercial-operation: VII. Thermal hydraulics of the PWR Paluel 1 steam generator during commercial operation, A.R. Wazzan, H. Procaccia, J. David, A. Fromal and P. Pitner 105 (1988) 285
The particle size distribution of solidified melt debris from molten fuel–coolant interaction experiments, D.F. Fletcher 105 (1988) 313
Interaction of recirculation and stable stratification in a rectangular cavity filled with sodium, R. Vidil, D. Grand and F. Leroux 105 (1988) 321
Modelling and design of a neutron scatterometer for void-fraction measurement, E.M.A. Hussein 105 (1988) 333
Two-phase pressure drop through obstructions, M.E. Salcudean and L.K.H. Leung 105 (1988) 349
A phenomenologically based prediction of rod-bundle dryout, J.C. Lim and J. Weisman 105 (1988) 363
The cooldown aspects of the TMI-2 accident, T.G. Theofanous 105 (1988) 373

Heat conduction and transfer

Technical Note: Steady state temperature distribution in a circular corrugated domain with heat generation in the inner core, P.A.A. Laura, A. Bergmann and V.H. Cortinez 105 (1988) 393

Fluid dynamics

Jet impingement forces on structures – Experiments and empirical calculations methods, W. Kastner and R. Rippel 105 (1988) 269
Experimental investigation of mass exchanges between two laterally interconnected two-phase flows, A. Tapucu, M. Geçkinli, N. Troche and R. Girard 105 (1988) 295

Materials properties

Preface to the Topical Issue on the International Seminar on Local Approach of Fracture, G. Rousselier and A. Pineau 105 (1987) 1
Some recently-developed analytical aspects of fracture mechanics, H.D. Bui and K. Dang Van 105 (1987) 3
Mechanics and mechanisms of creep deformation and damage, D.M. Parks 105 (1987) 11
Continuum damage mechanics: Present state and future trends, J.L. Chaboche 105 (1987) 19
A microstatistical model for ductile fracture with rate effects, L. Seaman, D.R. Curran, J.B. Aidun and T. Cooper 105 (1987) 35
Fully coupled strain and damage finite element analysis of ductile fracture, R. Billardon and L. Moret-Bailly 105 (1987) 43
Micromechanisms and toughness for cleavage fracture of steel, A.R. Rosenfield and B.S. Majumdar 105 (1987) 51
Application of micromechanical models for predicting fracture toughness of sulphide controlled Fe 510 steels, A. Halim, D. Dormagen, H. Dünnewald-Arfmann, M. Twickler, R. Twickler and W. Dahl 105 (1987) 59
A local approach to cleavage fracture, F. Mudry 105 (1987) 65
Prevision of the cleavage fracture properties using a local approach: Application to the welded joint of a structural C–Mn steel, A. Fontaine, E. Maas and J. Tulou 105 (1987) 77
Numerical prediction of the fracture of a thick pressurized shell subjected to a liquid nitrogen shock, P. Saillard, J.C. Devaux and A. Pellissier-Tanon 105 (1987) 83

Application of a local approach to ductile–brittle transition in a low-alloyed steel, E. Amar and A. Pineau 105 (1987) 89
Ductile fracture models and their potential in local approach of fracture, G. Rousselier 105 (1987) 97
Ductile fracture of a 508 Cl 3 steel in relation with inclusion content: The benefit of the local approach of fracture and continuum damage mechanics, R. Batisse, M. Bethmont, G. Devesa, and G. Rousselier 105 (1987) 113
Relationship between ductile crack initiation and void volume fraction, A. Otsuka, K. Togho and Y. Okamoto 105 (1987) 121
Calibration of the parameters of a ductile fracture damage model on an austenitic-ferritic duplex welded joint, J.C. Devaux, G. Mottet, P. Balladon and A. Pellissier-Tanon 105 (1987) 131
Use of local approach for predicting fatigue cracks in sleeves subjected to repeated thermal shocks, J.C. Masson 105 (1987) 139
A simplified analysis of creep crack growth using local approach, H.D. Bui, K. Dang Van and E. de Langre 105 (1987) 147
Drying of concrete: An application of the 3L-approach, F.H. Wittmann, P.E. Roelfstra and C.L. Kamp 105 (1988) 185
The fatigue-crack propagation behavior of ASTM A533-B steel tested in vacuo at LWR operating temperatures, L.A. James 105 (1988) 243

Structural design, construction methods and testing

Soil–structure interaction of "JPDR" based on earthquake observations and forced vibration tests, K. Hanada, T. Iwatate, Y. Sawada and H. Ezure 105 (1988) 173

Nuclear safety

Simulation of the Chernobyl accident, C.D. Fletcher, R. Chambers, M.A. Bolander and R.J. Dallman 105 (1988) 157
The UVABUBL program and its application to the FAST underwater tests, A.B. Reynolds, D.R. Bradley, J.Y. Ku and R.L. Webb 105 (1988) 199
Dryout front modeling for rod bundles, P. Griffith, J.A. Mohamad and D. Brown 105 (1988) 223
Heatup of a partially uncovered PWR fuel rod in the presence of cladding oxidation and steam dissociation, R. Viskanta and A.K. Mohanty 105 (1988) 231
Analysis of core and core barrel heat-up under conditions simulating severe reactor accidents, S. Chellaiah, R. Viskanta, P. Ranganathan and N.K. Anand 105 (1988) 259
Thermal-hydraulic characteristics of pressurized water reactors during commercial operation: VII. Thermal hydraulics of the PWR Paluel 1 steam generator during commercial operation, A.R. Wazzan, H. Procaccia, J. David, A. Fromal and P. Pitner 105 (1988) 285
The particle size distribution of solidified melt debris from molten fuel–coolant interaction experiments, D.F. Fletcher 105 (1988) 313
Interaction of recirculation and stable stratification in a rectangular cavity filled with sodium, R. Vidil, D. Grand and F. Leroux 105 (1988) 321
Modelling and design of a neutron scatterometer for void-fraction measurement, E.M.A. Hussein 105 (1988) 333
Two-phase pressure drop through obstructions, M.E. Salcudean and L.K.H. Leung 105 (1988) 349
A phenomenologically based prediction of rod-bundle dryout, J.C. Lim and J. Weisman 105 (1988) 363
The cooldown aspects of the TMI-2 accident, T.G. Theofanous 105 (1988) 373